



GENERAL SPECIFICATIONS**

• L.O.A*:	16,33 m	53'7"
• Hull length:	14,32 m	47'
• Overall width:	4,62 m	15'2"
• Beam:	4,57 m	14'12"
• Light displacement (EC):	14 988 kg	33,034 lbs
• Air draft:		
- max:	7,22 m	23'8"
- without T-Top:	5,91 m	19'5"
• Draught (max):	1,20 m	3'11"
• Fuel capacity:	2 x 650 L	2 x 172 US Gal
• Freshwater capacity:	2 x 200 L	2 x 53 US Gal
• Maximum engine power:	2 x 320 Kw - 2 x 435 HP	2 x 435 HP
• Max engine certification:	2 x 320 Kw - 2 x 435 HP	2 x 435 HP

* (with aft swimming platform)

ARCHITECTS / DESIGNERS

- Naval Architect: MICAD
- Design: Nuvolari & Lenard
- Interior accommodation: Andreani Design

EC CERTIFICATION**

- Category B - 12 people
- Category C - 12 people
- Category D - 12 people

** Provisional specifications, boat in process of certification.



STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- White gelcoat 9010
- Sandwich (Polyester resin - Glass fiber - Balsa core)
- Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- Moulding by infusion
- 7 Opening portholes (fitted with Venetian blinds)

DECK

Composition:

- White gelcoat 9010
- Sandwich (Polyester resin - Glass fiber - Balsa core)
- Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- Moulding by infusion
- Diamond tip type non-slip covering

DECK EQUIPMENT

- Radar support in stainless steel
- Navigation lights
- LED courtesy lighting (catwalks, steps and stern deck)

MOORING LINES - MOORING

- Bow fitting
- Electric windlass 24 V, Power 2 000 W
- Remote control in mooring locker + windlass control from wheelhouse and flying bridge steering stations
- 2 Mooring lockers
- 2 Forward cleats, 2 central and 4 aft in stainless steel
- 2 Stainless steel fairleads to aft of cockpit

SAFETY ON DECK

- Stainless steel Half open pulpit with teak step and hand rail
- Stainless steel pulpit surrounding all flybridge
- 4 Stainless steel handrails on access to side decks steps
- 1 Hand rail on aft transom

DECK

- 3 cup holders
- 1 Opening deck hatch, 1 Fixed hatch

FLYBRIDGE

- Grey tinted windscreen
- Steering console with: Steering compass, Steering wheel, Electrical engine controls, Fuel gauge, 12 V socket, IPS joystick
- Controls for windlass, lighting, navigation lights, Bilge pumps
- Adjustable pilot seat
- 2 Cupholders & stowage
- Two-seat co-pilot saloon on starboard side and 2 cup holders
- 6-person saloon with 3-place face-to-face bench seat
- Natural Solid wood folding table, with 4 integrated cup holders
- Galley unit: Sink hot/cold, Place for electric grill (option), Storage, Bin.
Plain solid wood doors + 2 Cup holders
- Radar support, 9010 white polyester aerials and lights
- LED courtesy lighting
- PVC MARLIN BRILLIANT WHITE upholstery, Open cell foam

COCKPIT

- Gate access (Starboard)
- 6 persons saloon
- PVC MARLIN BRILLIANT WHITE upholstery, Open cell foam
- Access hatch to engine compartment
- Access hatch to large storage locker (standard) or crew cabin (option)
- Cockpit shower (with Hot/cold water mixer tap)
- Access stairway to flybridge, Built-in storage locker
- Natural teak decked swimming platform, black joints
- Retractable ladder in swimming platform with solid wood steps and stainless steel handrails
- Direct and indirect lighting LED

INTERIOR

- Choice of woodwork: Alpi Matt finish walnut (standard) or Alpi brushed Oak (option)
- Brown oak laminated floors, in galley, in lounge, in cabins
- Natural teak flooring in the head compartments, black joints

WHEELHOUSE

Headroom: 1,92 m / 6'4"

- Mirror tinted glass Bay window
- Curtain
- Metallic grey Venetian blinds
- Direct and indirect lighting LED
- Port electric switchboard in companionway (24V/220V)

STEERING STATION

- Single piece windscreen
- Mirror tinted side windows
- 2 Windscreen wipers with washers
- Demisting system
- Double driver and co-driver bench seat
- Storage drawer under bench seat
- Black laquered dashboard
- Volvo EVC screen (with additional software as an option)
- Volvo throttle & controls
- IPS joystick
- Steering compass
- Functional controls: Windscreen wipers, Demister, Fog horn, Navigation lights, Windlass
- Valet tray
- Space for 2 multifunction 16" screens
- 1 12 V Socket

SALOON

Headroom: 1,92 m / 6'4"

- 4-6 seater sofa upholstered in "Bolt Alabaster" fabric
- 2 places facing sofa, upholstery "Bolt Alabaster" fabric
- Textured and laquered folding wooden table
- Location for 40" LED television, Fusion speakers (optional extra: Bose speakers)
- 1 220 V Socket, 2 USB sockets
- 3 Storage lockers (to port)

GALLEY

Headroom: 2 m / 6'7"

- Stainless steel sink with mixer tap
- 3 burner induction hob
- Corian Dune Prima countertop
- Fridge-freezer (215 L / 57 US Gal)
- Cutlery & glasses storage
- Double dustbin
- Lacquer finished furniture
- 2 Cupboards with storage baskets
- Microwave oven (40 L / 11 US Gal)
- 2 220 V Sockets



OWNER'S CABIN (AFT)

Headroom: 1,90 m / 6'3"

- Full beam stateroom
- Double berth (1,90 m x 1,60 m / 6'3" x 5'3")
- Marine mattress with bed base
- Padded headboard
- 2 Bedside tables with drawer
- 1 Separate walk-in wardrobe
- Direct and indirect lighting LED
- 2 220 V Sockets
- 2 Panoramic portholes in the hull with integrated opening portholes, fitted with metallic grey Venetian blinds
- Space for 32" LED TV (option)
- Storage cupboards (Port and starboard)
- 2 Drawers under the bed
- Desk or dressing table
- 5 USB charging sockets

OWNER'S HEAD COMPARTMENT

Headroom: 1,90 m / 6'3"

- TECMA electric toilet + Shared rigid tank (120 L / 32 US Gal)
- Separated shower stall with stainless steel profiled doors
- Shower with mixer tap
- Teck decked flooring, black joints
- Basin with recessed mixer tap
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50L / 13 US Gal)
- 1 220 V Socket
- Opening hull porthole with metallic grey Venetian blind

VIP CABIN (FORWARD)

Headroom: 1,93 m / 6'4"

- 1 Double berth (1,90 m x 1,50 m / 6'3" x 4'11") or two simple beds (sliding system)
- Marine mattress with bed base
- Padded headboard
- 2 Opening hull portholes with metallic grey Venetian blinds
- Long natural light wells, with opening deck hatch, fitted blinds and mosquito screen
- 2 Illuminated wardrobes with hanging locker and shelving
- Mirror
- Storage
- 2 220 V Sockets
- Direct and indirect lighting LED
- 4 USB charging sockets

VIP HEAD COMPARTMENT

Headroom: 1,95 m / 6'5"

- TECMA electric toilet + Shared rigid tank (120 L / 32 US Gal)
- Separated shower stall with stainless steel profiled doors
- Shower with mixer tap
- Basin with recessed mixer tap
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50L / 13 US Gal)
- 1 Opening hull porthole with metallic grey Venetian blind
- 1 Light wells
- 1 Towel rail
- 1 220 V Socket

GUEST CABIN (SIDE)

Headroom: 1,98 m / 6'6"

- 2 Single beds (1,90 m x 0,70 m / 6'3" x 2'4") or 1 double berth
- Marine mattresses
- Padded headboards
- 1 Opening hull porthole with metallic grey Venetian blind
- 1 Bed head with drawer and reading light
- 1 Hanging locker with lighting and mirror
- 1 220 V Socket
- 2 USB charging sockets



ENGINE

Pods propulsion:

- Volvo 2 x IPS 600 - 2 x D6 435 CV/HP Diesel (2 x 320 Kw) EVC-E
- Fuel filter with decanter
- Sea water filter
- Air intakes on the deck for engine compartment cooling
- Hot air extraction forced by electric ventilators
- Engine room foam soundproofed
- Fire extinguishing system activated from the steering station (Wheelhouse & Flybridge)
- Stainless steel fuel filler
- 2 x 650 L / 172 US Gal Aluminium fuel tanks

Steering system:

- Electric steering
- 2 Drives with counter rotative propellers ("Jackshaft")
- IPS control joystick (Wheelhouse & Flybridge)

Softs Volvo:

- Trip computer
- Cruise control
- Single lever
- Low speed

ELECTRICITY

- 24 V 220 V Electrical panel
- 8 12 V batteries (4 Engine batteries: 50 Ah + 4 Service batteries: 140 Ah)
- Radio-controlled wireless switches (without battery)
- 1 63 Ah - 230 V/50 Hz shore power socket with 15 m cable (or 2 220 V/60 Hz shore power sockets according to country)
- 2 Bilge pumps: 2 Electric pumps
- 1 Extinguisher
- Inverter: 24 V / 12 V
- Power distributor
- Battery charger: 24 V - 60 Ah
- 220V Sockets: in saloon, galley, heads and cabins
- USB sockets: in saloon, galley, heads and cabins
- 12V socket on Steering stations (Wheelhouse and Flybridge)
- Direct and indirect lighting LED (internal and external)

PLUMBING

- 2 Roto moulded water tanks, 2 x 200 L / 2 x 53 US Gal capacity of
- Stainless steel water filler
- Water pump for pressurising hot/cold water system
- 60 L / 16 US Gal water heater working off engine exchanger (220 V)
- Solenoid valve for transfer between the 2 tanks



TRIM LEVEL & PACKS

TRIM LEVEL

	ESSENTIAL	COMFORT	LOUNGE
<ul style="list-style-type: none"> • Ship control + Battery isolation switch remote control • Atoll audio system with Fusion speakers in the saloon, in the cockpit, in flying bridge • 16" Multifunction screen (Garmin GPS MAP 8416 XSV) in wheelhouse • 12" Multifunction screen (Garmin GPS MAP 8412 XSV) in flying bridge • Auto pilot • Garmin AIS • Garmin dual station VHF • 65 L / 17 US Gal refrigerator in flying bridge 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪
<ul style="list-style-type: none"> • Manually opening windows (Port and starboard) • Natural teak decked flooring in cockpit and galley, black joints • Yacht Case "Arts de la table" • 2 sets of Monte Carlo bath linen 		<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪
<ul style="list-style-type: none"> • Hydraulic swim platform • Dinghy cradle integrated to the platform • Bow thruster station dual • 11 kVA Generator • ZIPWAKE automatic trim tabs 			<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪

PACKS

ELECTRONICS PACKS

- Rear camera
- Garmin Fantom Radar
- Additional 16" Garmin multi-function screen in wheelhouse
- Additional 12" Garmin multi-function screen in flying bridge

OPTIONS

AMBIANCE

- Brushed oak version and brown oak laminated floor
- Flooring of cockpit and galley made from synthetic teak decking, grey joints
- Natural teak flooring, black joints in the saloon & at the pilot station
- Synthetic teak flooring, grey joints in the saloon & at the pilot station
- "Ivory" carpet in the saloon & in cabins
- "Dune" carpet in the saloon & in cabins
- "Bolt Alabaster" upholstery in the saloon
- "Bolt Oyster" upholstery in the saloon
- Ultraleather "Champagne" upholstery in the saloon
- Leather upholstery (Foglizzo) in the saloon
- Nubuck upholstery (Foglizzo) in the saloon
- Extra-wide double driver's bench seat with arm rests
- Silvertex ICE / MACADAMIA outside upholstery
- Sunbrella Tundra outside upholstery
- Marlin Brilliant White forward sun mattress
- Silvertex ICE / MACADAMIA forward sun mattress
- Tundra forward sun mattress
- Marlin Brilliant White port cockpit seat
- Silvertex ICE / MACADAMIA port cockpit seat
- Tundra port cockpit seat
- Grey and white hull
- Blue-grey and white hull
- Metallic hull paint



BENETEAU

Monte Carlo 52

Provisional Specifications - Europe

OPTIONAL LAYOUT VERSIONS

CREW CABIN (accessible from the swim platform)

Headroom: 1,63 m / 5'4"

- Single bed (1,90 m x 0,65 m / 6'3" x 2'2")
- WC TECMA
- Basin with hot and cold water mixer tap under pressure
- 1 Opening porthole
- Storage for fenders

OTHER OPTIONS

INTERIOR LAYOUT

- Fridge + Icemaker + 3 drawer freezer (2 drawer fridge, 1 freezer/ice-maker drawer)
- Extractor hood in galley
- Dishwasher for 6 sets
- Washer dryer
- Chilled water Mediterranean air conditioning - 48 000 BTU (in wheelhouse: 24 kBTU, in the owner owner's cabin and the head compartment: 12 kBTU, in the VIP cabin and guest cabin: 12 kBTU); Distribution by ceilings
- Chilled water Tropical air conditioning - 60 000 BTU (in wheelhouse: 24 kBTU, in the owner owner's cabin and the head compartment: 18 kBTU, in the VIP cabin and guest cabin: 18 kBTU); Distribution by ceilings
- 6 kBTU air conditioning in the marine cabin
- Extra Tropicale chilled water air conditioning - 72 000 BTU (in wheelhouse: 24 kBTU, in the owner owner's cabin and the head compartment: 24 kBTU, in the VIP cabin and guest cabin: 24 kBTU); Distribution by ceilings
- 6 kBTU air conditioning in the marine cabin
- Heating (water system)
- Heating in the marine cabin
- Central vacuum system
- TV 40" in saloon
- TV 32" in master cabin + BOSE Loudspeakers
- TV 22" in the forward cabin + Fusion Loudspeakers
- Mosquito screens (cabins & aft window door)
- Bose 2.1 Loudspeakers in the saloon

EXTERIOR OPTIONS

- Mooring kit: Delta anchor 25 kg + Chain (12 mm diameter; length 50 m) + Line (22 mm diameter; length 50 m) + 4 Moorings lines (18 mm diameter; length 15 m) + 6 Fenders (250 mm diameter; length 0,7 m)
- Electric awning
- Aft cockpit closing Graphite
- Outside wheelhouse curtains in "sunworker" black
- Protective cases
- Flybridge bimini Graphite with Built-in LED lighting
- 9010 white polyester T-top
- Metallic grey lacquered polyester T-top
- Metallic grey painted flybridge arch
- Galley unit on transom: "Kenyon" electric grill, Sink hot/cold, Work top, Lighting
- Integrated hydraulic gangway
- Cockpit table convertible into sun-bathing area
- "Kenyon" electric grill in flying bridge
- Convertible sun deck in flying bridge

ELECTRICAL SYSTEM

- Inverter (2 KVA)
- Flybridge searchlight
- Underwater lights

WATER SYSTEM

- Deck wash pump
- Shore freshwater supply

ENGINE - NAVIGATION INSTRUMENTS

- 3rd control joystick in the cockpit
- Seekeaper NG9 gyroscopic stabiliser

ELECTRONIC

- Rear camera
- Engine compartment camera
- Dummy satellite antenna